

On the positive Pell equation $y^2 = 14x^2 + 2$

¹ K. Meena, ² M.A Gopalan, ³ P. Vijayashanthi

¹ Former VC, Bharathidasan University, Trichy, Tamil Nadu, India

² Professor, Department of Mathematics, SIGC, Trichy, Tamil Nadu, India

³ M.Phil Scholar, Department of Mathematics, SIGC, Trichy, Tamil Nadu, India

Abstract

The binary quadratic equation represented by the positive Pellian $y^2 = 14x^2 + 2$ is analysed for its distinct integer solutions. A few interesting relations among the solutions are given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbolas, parabolas and special Pythagorean triangle.

Keywords: Binary quadratic, hyperbola, parabola, integral solutions, Pell equation

1. Introduction

The binary quadratic equation of the form $y^2 = Dx^2 + 1$ Where D is non-square positive integer has been studied by various mathematics for its non-trivial integral solutions when D takes different integral value [1-4]. For an extensive review of various problems, one may refer [5-20]. In this communication, yet another interesting hyperbola given by $y^2 = 14x^2 + 2$ is considered and infinity many integer solutions are obtained. A few interesting properties among the solutions are presented.

2. Method of Analysis

The positive Pell equation representing hyperbola under consideration is,

$$y^2 = 14x^2 + 2 \quad (1)$$

The smallest positive integer solutions of (1) is $x_0 = 1, y_0 = 4$

The general solutions (x_n, y_n) of (1) is given by

$$y_n = \frac{1}{2} f_n, x_n = \frac{1}{2\sqrt{14}} g_n \quad (2)$$

Where,

$$f_n = (15 + 4\sqrt{14})^{n+1} + (15 - 4\sqrt{14})^{n+1}$$

$$g_n = (15 + 4\sqrt{14})^{n+1} - (15 - 4\sqrt{14})^{n+1}$$

The recurrence relation satisfied by the solutions (2) are given by

$$y_{n+1} - 30y_{n+2} + y_{n+3} = 0$$

$$x_{n+1} - 30x_{n+2} + x_{n+3} = 0$$

Some numerical examples of x & y satisfying (1) are given in the table below

Table 1: Example

S. No	x_n	y_n
0	4	15
1	31	116
2	929	3476
3	27839	104164
4	834241	3121444

3. From the above table, we observe some interesting relation among the solutions which are presented below

1. The x_n values are alternatively odd and even.
2. The y_n values are always odd.
3. Each of the following expression is a nasty numbers:

- $6x_{2n+3} - 174x_{2n+2} + 12$

- $\frac{[x_{2n+4} - 869x_{2n+3} + 60]}{5}$

- $174x_{2n+4} - 5214x_{2n+3} + 12$

- $\frac{[8y_{2n+3} - 868x_{2n+2} + 60]}{5}$

- $\frac{[24y_{2n+4} - 78036x_{2n+2} + 60]}{449}$

- $696y_{2n+3} - 2604x_{2n+3} + 12$

- $\frac{[232y_{2n+4} - 26012x_{2n+3} + 60]}{5}$

- $\frac{[20856y_{2n+2} - 84y_{2n+4} + 5388]}{449}$

- $\frac{[6952y_{2n+3} - 434x_{2n+4} + 60]}{5}$

- $20856y_{2n+4} - 78036x_{2n+4} + 12$

- $\frac{[93y_{2n+2} - 3y_{2n+3} + 24]}{2}$

- $\frac{[929 y_{n+2} - y_{2n+4} + 240]}{20}$

- $$\frac{[19509y_{2n+3} - 651y_{2n+4} + 168]}{14}$$
- $$\frac{[348y_{2n+2} - 42x_{2n+3} + 60]}{5}$$

4. Each of the following expression is a cubical integer

- $x_{3n+4} - 29x_{3n+3} + 3[x_{n+2} - 29x_{n+1}]$
- $900[x_{3n+5} - 869x_{n+3}] + 2700[(x_{3n+5} - 869x_{3n+3})]$
- $29x_{3n+5} - 869x_{3n+4} + 3[29x_{n+3} - 869x_{n+2}]$
- $450[2y_{2n+4} - 217x_{3n+3}] + 1350[2y_{n+2} - 217x_{n+1}]$
- $403202[2y_{3n+5} - 6503x_{3n+3}] + 1209606[2y_{n+3} - 6503x_{n+1}]$
- $784[6503y_{3n+4} - 217y_{3n+5}] + 2352[6503y_{n+2} - 217y_{n+3}]$
- $450[58y_{3n+3} - 7x_{3n+4}] + 1350[58y_{n+1} - 7x_{n+2}]$
- $2[58y_{3n+4} - 217x_{3n+4}] + 6[58y_{n+2} - 217x_{n+2}]$
- $450[58y_{3n+5} - 650x_{3n+4}] + 1350[58y_{n+3} - 6503x_{n+2}]$
- $403202[1738y_{3n+3} - 7x_{3n+5}] + 1209606[1738y_{n+1} - 7x_{n+3}]$
- $450[1738y_{3n+4} - 217x_{3n+5}] + 1350[1738y_{n+2} - 217x_{n+3}]$
- $2[1738y_{3n+5} - 6503x_{3n+5}] + 6[1738y_{n+3} - 6503x_{n+3}]$
- $16[31y_{3n+3} - y_{3n+4}] + 48[y_{n+1} - y_{n+2}]$
- $14400[929y_{3n+3} - y_{3n+5}] + 43200[929y_{n+1} - y_{n+3}]$

5. Relations among the solutions

- $x_{n+1} = 30x_{n+2} - x_{n+3}$
- $15x_{n+1} = x_{n+2} - 4y_{n+1}$
- $56x_{n+1} = 15y_{n+3} - 449y_{n+2}$
- $x_{n+1} = 15x_{n+2} - 4y_{n+2}$
- $15x_{n+1} = 449x_{n+2} - 4y_{n+3}$

- $x_{n+1} = 449x_{n+3} - 120y_{n+3}$
- $56x_{n+2} = y_{n+3} - 15y_{n+2}$
- $449x_{n+2} = 15x_{n+3} - 4y_{n+1}$
- $15x_{n+2} = x_{n+3} - 4y_{n+2}$
- $x_{n+2} = 15x_{n+3} - 4y_{n+3}$
- $56x_{n+2} = 15y_{n+2} - y_{n+1}$
- $56x_{n+3} = 15y_{n+3} - y_{n+2}$
- $x_{n+1} = x_{n+3} - 8y_{n+2}$
- $x_{n+3} = 55x_{n+2} + 12y_{n+2}$
- $56x_{n+1} = y_{n+2} - 15y_{n+1}$
- $449x_{n+1} = x_{n+3} - 120y_{n+1}$
- $1680x_{n+1} = y_{n+3} - 449y_{n+1}$
- $112x_{n+2} = y_{n+3} - y_{n+1}$
- $56x_{n+3} = 449y_{n+2} - 15y_{n+1}$
- $1680x_{n+3} = 449y_{n+3} - y_{n+1}$
- $y_{n+1} = 120y_{n+2} - 4y_{n+3}$
- $y_{n+3} = 30y_{n+2} - y_{n+1}$

6. Remarkable Observation

I. Employing linear combination among the solutions of (1), one may generate integer solutions for other choices of hyperbolas which are presented in the Table 2 below.

Table 2: Hyperbolas

S. No	(X,Y)	Hyperbola
1.	$(31x_{n+1} - x_{n+2}, x_{n+2} - 29x_{n+1})$	$8Y^2 - 7X^2 = 32$
2.	$(929x_{n+1} - x_{n+3}, x_{n+3} - 869x_{n+1})$	$16Y^2 - 14X^2 = 57600$
3.	$(929x_{n+2} - 31x_{n+3}, 29x_{n+3} - 869x_{n+2})$	$8Y^2 - 7X^2 = 32$
4.	$(116x_{n+1} - y_{n+2}, 4y_{n+2} - 434x_{n+1})$	$Y^2 - 14X^2 = 900$
5.	$(3476x_{n+1} - y_{n+3}, 4y_{n+3} - 13006x_{n+1})$	$Y^2 - 14X^2 = 806405$
6.	$(58y_{n+3} - 1738y_{n+2}, 6503y_{n+2} - 2170y_{n+3})$	$Y^2 - 14X^2 = 5488$
7.	$(4x_{n+2} - 3y_{n+1}, 116y_{n+1} - 14x_{n+2})$	$Y^2 - 14X^2 = 900$
8.	$(116y_{n+2} - 434x_{n+2}, 116x_{n+2} - 31y_{n+2})$	$Y^2 - 14X^2 = 4$
9.	$(116y_{n+3} - 13006x_{n+2}, 3476x_{n+2} - 31y_{n+3})$	$Y^2 - 14X^2 = 4$
10.	$(4x_{n+3} - 929y_{n+1}, 3476y_{n+1} - 14x_{n+3})$	$Y^2 - 14X^2 = 806404$
11.	$(116x_{n+3} - 929y_{n+2}, 3476y_{n+2} - 434x_{n+3})$	$Y^2 - 14X^2 = 900$
12.	$(3476y_{n+3} - 13006x_{n+3}, 3476x_{n+3} - 929y_{n+3})$	$Y^2 - 14X^2 = 4$
13.	$(y_{n+2} - 29y_{n+1}, 31y_{n+1} - y_{n+2})$	$14Y^2 - 16X^2 = 896$

14.	$(y_{n+3} - 869 y_{n+1}, 929 y_{n+1} - y_{n+3})$	$12600 Y^2 - 14400 X^2 = 725760000$
-----	--	-------------------------------------

2. Employing linear combination among the solutions of (1), one may generate integer solutions for other choices of parabolas which are presented in the table 3 below:

Table 3: Parabolas

S. No	(X,Y)	Parabolas
1.	$(31x_{n+1} - x_{n+2}, x_{2n+3} - 29x_{2n+2})$	$8Y - 7 X^2 = 16$
2.	$(929x_{n+1} - x_{n+3}, x_{2n+4} - 869x_{2n+3})$	$480Y - 14 X^2 = 28800$
3.	$(929x_{n+2} - 31x_{n+3}, 29x_{2n+4} - 869 x_{2n+3})$	$8Y - 7 X^2 = 16$
4.	$(116x_{n+1} - y_{n+3}, 4y_{2n+3} - 434x_{2n+2})$	$15Y - 14 X^2 = 450$
5.	$(3476x_{n+1} - y_{n+3}, 4y_{2n+4} - 13006x_{2n+3})$	$449Y - 14 X^2 = 403202$
6.	$(58y_{n+3} - 1738y_{n+2}, 6503y_{2n+3} - 217y_{2n+4})$	$2Y - X^2 = 112$
7.	$(4x_{n+2} - 31y_{n+1}, 116y_{2n+2} - 14x_{2n+4})$	$15Y - 14 X^2 = 450$
8.	$(116x_{n+2} - 31y_{n+2}, 116y_{2n+3} - 434 x_{2n+4})$	$Y - 14 X^2 = 2$
9.	$(3476x_{n+2} - 31y_{n+3}, 116y_{2n+4} - 13006x_{2n+3})$	$15Y - 14 X^2 = 450$
10.	$(4x_{n+3} - 929y_{n+1}, 3476y_{2n+3} - 14x_{2n+4})$	$449Y - 14 X^2 = 403202$
11.	$(116x_{n+3} - 929y_{n+2}, 3476y_{2n+3} - 434x_{2n+4})$	$15Y - 14 X^2 = 450$
12.	$(3476x_{n+3} - 929y_{n+3}, 3476y_{2n+4} - 13006x_{2n+4})$	$Y - 14 X^2 = 2$
13.	$(y_{n+2} - 29y_{n+1}, 31y_{2n+2} - y_{2n+3})$	$14Y - 4 X^2 = 112$
14.	$(y_{n+3} - 869 y_{n+1}, 929 y_{2n+2} - y_{2n+2})$	$12600Y - 120 X^2 = 3024000$

II. Consider, $m = x_{n+1} + y_{n+1}, n = x_{n+1}$. observe that $m > n > 0$. Treat m,n as the generators of the Pythagorean triangle $T(\alpha, \beta, \gamma)$, where

$$\alpha = 2mn,$$

$$\beta = m^2 - n^2,$$

$$\gamma = m^2 + n^2$$

Then the following interesting relations are observed.

a) $\alpha - 7\beta + 6\gamma = -2$

b) $8\alpha - \gamma = \frac{28A}{p} - 2$

c) $\frac{2A}{p} = x_{n+1} y_{n+1}$

7. Conclusion

In this paper, we have presented infinitely many integer solutions for the hyperbola represented by the positive pell equation $y^2 = 14x^2 + 2$. As the binary quadratic Diophantine equation are rich in variety, one may search for the other choices of positive pell equations and determine their integer solutions along with suitable properties.

8. References

1. Dickson LE. History of theory of Numbers, Chelsea Publishing Company, Newyork, 1952, 2.
2. Mordel LJ. Diophantine Equations”, Academic Press, Newyork, 1969.
3. Telang SJ. Number theory, Tata McGraw Hill Publishing Company Limited, New Delhi, 2000.
4. David M. Burton. Elementary Number Theory, Tata McGraw Hill Publishing Company Limited, New Delhi, 2002.
5. Gopalan MA, Vidhyalakshmi S, Devibala S. On the Diophantine Equation $3x^2 + xy = 14$ ”, ActaCinecia Indica. 2007; S-XXXIIIM(2):645-648.
6. Gopalan MA, Janaki G. Observation on $y^2 = 3x^2 + 1$ ”, Acta Cinecia Indica. 2008; XXXIVM(2):693-696.
7. Gopalan MA, Sangeetha G. A Remarkable Observation on $y^2 = 10x^2 + 1$, Impact Journal of science and Technology. 2010; 4(1):103-106.
8. Gopalan MA, Vijayalakshmi R. Observations on the integral solutions of $y^2 = 5x^2 + 1$ ”, Impact Journal of science and Technology. 2010; 4(4):125-129.
9. Gopalan MA, Sivakami B. Observations on the integral solutions of $y^2 = x^2 + 1$, Antartica Journal of Mathematics. 2010; 7(3):291-296.
10. Gopalan MA, Yamuna RS. Remarkable Observation on the binary quadratic equation $y^2 = (k^2 + 1)x^2 + 1, k \in z - \{0\}$, Impact Journal of science and Technology. 2010; 4(4):61-65.
11. Gopalan MA, Vijayalakshmi R. Special Pythagorean triangle generated through the integral solutions of the equation $y^2 = (k^2 - 1)x^2 + 1$, Antartica Journal of Mathematics. 2010; 7(5):503-507.
12. Gopalan MA, Srividhya G. Relations among M-gonal through the equation $y^2 = 2x^2 + 1$ ”, Antartica journal of Mathematics. 2010; 7(3):363-369.
13. Gopalan MA, Palanikumar R. Observation on $y^2 = 12x^2 + 1$, Antartica Journal of Mathematics. 2011; 8(2):149-152.
14. Gopalan MA, Vidhyalakshmi S, Usha Rani TR, Mallika S. Observation on $y^2 = 12x^2 - 3$, Bessel Journal of math. 2010; 2(3):153-158.
15. Gopalan MA, Vidhyalakshmi S, Umarani J. Remarkable Observation on the hyperbola, Bulletin of Mathematics and statistics Research. 2013; 1(1):9-12.
16. Gopalan MA, Vidhyalakshmi S, Maheshwari D. Observation on the hyperbola $y^2 = 30x^2 + 1$ International Journal of Engineering Research. 2013; 1(3):312-314.
17. Geetha T, Gopalan MA, Vidhyalakshmi S. Observation on the hyperbola $y^2 = 72x^2 + 1$, Scholars Journal of physics, Mathematics and statistics. 2014; 1(1):1-3.
18. Gopalan MA, Sivakami B. Special Pythagorean triangle generated through the integral solutions of the equation $y^2 = (k^2 + 2k)x^2 + 1$, Diaphantus. J Math. 2013; 2(1):25-30.
19. Gopalan MA, Vidhyalakshmi S, Usha Rani TR, Agalya K. Observation on the hyperbola $y^2 = 110x^2 + 1$, International Journal of multidisiplinary Research and Development. 2015; 2(3):237-239.
20. Vidhyalakshmi S, Gopalan MA, Sumithra S, Thiruniraiselvi N. Observation on the hyperbola $y^2 = 60x^2 + 4$, JIRT. 2014; 1(11):119-121.